

Installation - Manually

Copy all the files from **"MailCarry.3.0.3"** folder and paste it to the **root directory** of your domain

*Now you will need to set the writable(0777) permission **recursively** for the following directories and files:*

- **/storage**
- **/bootstrap/cache**

1: Import **mailcarry.sql** into the database from **"/install/manual/"** folder

Note: You will need to create an empty Database to import the file into that database

2: Open **.env** file from **"install/manual/"** set the database values:

- **DB_DATABASE=Your_Database_Name**
- **DB_USERNAME=Database_Username**
- **DB_PASSWORD=Database_Password**

3: Copy **".env"** file from **"/install/manual/"** and replace it to **.env** at root directory of your domain

4: Copy **"installed"** file from **"/install/manual"** and paste it to **"/storage/app/public/"** folder

5: Access the application URL with **"/clear_cache"** eg: https://example.com/clear_cache

- It will clear the cache

5: Access the url of you application eg: <https://example.com>

6: Login using following credentials:

- Email Address: admin@mailcarry.com
- Password: admin123

7: Navigate to Top right **Mailcarry => Profile** to update your Name, Email, and Password etc. for your superadmin.

8: Navigate to **Settings => Application => Application Settings** to update application settings like:

- Application URL
- Application Name
- ...

Note: Application URL according to the application domain eg: if you installed the application on <https://mailcarry.com> then application url would be <https://mailcarry.com>

9: Navigate to **Settings => Application => Permissions** to verify all files/folders and extension are working fine for mailcarry

Hurrah! You have done it.

More Help

Install on CentOS

<https://kb.mailcarry.com/knowledge-base/install-on-centos/>

Install on Ubuntu

<https://kb.mailcarry.com/knowledge-base/install-on-ubuntu/>

Install on LEMP

<https://kb.mailcarry.com/knowledge-base/install-on-lemp/>